

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations Revision Date: 03/09/2021 Date of Issue: 03/09/2021

Version: 1.0

SECTION 1: IDENTIFICATION

1.1. Product Identifier Product Form: Mixture

Product Name: 03771G-3 BactoCount Solubilizer - Green

1.2. Intended Use of the Product

Use of the Substance/Mixture: Laboratory chemicals, Synthesis of substances1.3. Name, Address, and Telephone of the Responsible Party

Company

Bentley Instruments, Inc. 4004 Peavey Rd (Physical Plant) P.O. Box 150 (Mailing Address) Chaska, MN 55318

USA

(952) 448-7600

1.4. Emergency Telephone Number

Emergency Number : ChemTel LLC

(800)255-3924 (North America) +1 (813)248-0585 (International)

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the Substance or Mixture

Skin Irrit. 2 H315
Eye Dam. 1 H318
Aquatic Acute 1 H400
Aquatic Chronic 3 H412

Full text of hazard classes and H-statements: see section 16

2.2. Label Elements

GHS-US Labeling

Hazard Pictograms (GHS-US)



Signal Word (GHS-US) : Danger

Hazard Statements (GHS-US) : H315 - Causes skin irritation.

H318 - Causes serious eye damage. H400 - Very toxic to aquatic life.

H412 - Harmful to aquatic life with long lasting effects.

Precautionary Statements (GHS-US) : P264 - Wash hands, forearms, and other exposed areas thoroughly after handling.

P273 - Avoid release to the environment.

P280 - Wear protective gloves, protective clothing, and eye protection.

P302+P352 - If on skin: Wash with plenty of water.

P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a poison center or doctor. P321 - Specific treatment (see section 4 on this SDS).

P332+P313 - If skin irritation occurs: Get medical advice/attention. P362+P364 - Take off contaminated clothing and wash it before reuse.

P391 - Collect spillage.

P501 - Dispose of contents/container in accordance with local, regional, national,

and international regulations.

2.3. Other Hazards

Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

2.4. Unknown Acute Toxicity (GHS-US)

No data available

03/09/2021 EN (English US) 1/6

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substance

Not applicable

3.2. Mixture

Name	Synonyms	Product Identifier	%	GHS US classification
Alcohols, C12-14- secondary, ethoxylated	Alcohols, C12-14, secondary, ethoxylated / C12-14 sec-Pareth / C12-14 sec-Pareth-5 / C12-14 sec-Pareth-7 / C12-14 sec-Pareth-5 / C12-14 sec-Pareth-7 / C12-14 sec-Pareth-8 / C12-14 sec-Pareth-9 / C12-14 sec-Pareth-12 / C12-14 sec-Pareth-15 / C12-14 sec-Pareth-10 / C12-14 sec-Pareth-30 / C12-14 sec-Pareth-40 / C12-14 sec-Pareth-50 / C12-14 sec-Pareth-70 / Ethoxylated secondary alcohols(C12-14) / Secondary alcohols, C12-14, ethoxylated / Softanol 70	(CAS-No.) 84133-50-6	90 – 100	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Acute 1, H400 Aquatic Chronic 3, H412
Polyethylene glycol	.alphaHydroomegahydroxypoly(oxyethylene) / .alphaHydroomegahydroxypoly(oxy-1,2- ethanediyl) / 1,2-Ethanediol, homopolymer / Ethyleneglycol homopolymer / Ethoxylated 1,2- ethanediol / Ethylene oxide polymer / Macrogol / Macrogols / PEG / PEG-1M / PEG-2M / PEG-5M / PEG-7M / PEG-9 / PEG-9M / PEG-10 / PEG-14 / PEG- 14M / PEG-16 / PEG-18 / PEG-20 / PEG-20M / PEG- 23M / PEG-25M / PEG-32 / PEG-33 / PEG-40 / PEG-45 / PEG-45M / PEG-55 / PEG-60 / PEG-65M / PEG-75 / PEG-80 / PEG-90 / PEG-90M / PEG-100 / PEG-115M / PEG-135 / PEG-150 / PEG-160M / PEG-180 / PEG- 180M / PEG-200 / PEG-20 / PEG-240 / PEG-350 / PEG-400 / PEG-450 / PEG-500 / PEG-800 / Polyethylene glycol 35 / Polyethylene glycol 115 / Polyethylene glycol 6000 / Polyethylene glycol 8000 / Polyethylene glycol 6000 / Polyethylene glycol 8000 / Polyethylene glycol esters / Polyethylene glycol 8000 / Polyethylene glycol esters / Polyethylene oxide / Poly(oxy-1,2-ethanediyl), .alphahydroomega hydroxy-	(CAS-No.) 25322-68-3	1-5	STOT SE 3, H335

Full text of H-phrases: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of First-aid Measures

First-aid Measures General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid Measures After Inhalation: When symptoms occur: go into open air and ventilate suspected area. Obtain medical attention if breathing difficulty persists.

First-aid Measures After Skin Contact: Remove contaminated clothing. Immediately drench affected area with water for at least 15 minutes. Obtain medical attention if irritation develops or persists.

First-aid Measures After Eye Contact: Immediately rinse with water for at least 30 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.

First-aid Measures After Ingestion: Rinse mouth. Do NOT induce vomiting. Obtain medical attention.

4.2. Most Important Symptoms and Effects Both Acute and Delayed

Symptoms/Injuries: Causes skin irritation. Causes serious eye damage.

Symptoms/Injuries After Inhalation: Prolonged exposure may cause irritation.

Symptoms/Injuries After Skin Contact: Redness, pain, swelling, itching, burning, dryness, and dermatitis.

Symptoms/Injuries After Eye Contact: Causes permanent damage to the cornea, iris, or conjunctiva.

Symptoms/Injuries After Ingestion: Ingestion may cause adverse effects.

Chronic Symptoms: None known.

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If exposed or concerned, get medical advice and attention. If medical advice is needed, have product container or label at hand.

SECTION 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing Media

Suitable Extinguishing Media: Water spray, fog, carbon dioxide (CO₂), alcohol-resistant foam, or dry chemical.

Unsuitable Extinguishing Media: Do not use a heavy water stream. Use of heavy stream of water may spread fire.

03/09/2021 EN (English US) 2/6

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

5.2. Special Hazards Arising From the Substance or Mixture

Fire Hazard: Not considered flammable but may burn at high temperatures. Most vapors are heavier than air. They will spread along ground and collect in low or confined areas (sewers, basements, tanks).

Explosion Hazard: Product is not explosive.

Reactivity: Hazardous reactions will not occur under normal conditions.

5.3. Advice for Firefighters

Precautionary Measures Fire: Exercise caution when fighting any chemical fire. **Firefighting Instructions:** Use water spray or fog for cooling exposed containers.

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

Hazardous Combustion Products: Carbon oxides (CO, CO₂).

Other Information: Do not allow run-off from fire fighting to enter drains or water courses.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Do not breathe vapor, mist or spray. Do not get in eyes, on skin, or on clothing.

6.1.1. For Non-Emergency Personnel

Protective Equipment: Use appropriate personal protective equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

6.1.2. For Emergency Personnel

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Upon arrival at the scene, a first responder is expected to recognize the presence of dangerous goods, protect oneself and the public, secure the area, and call for the assistance of trained personnel as soon as conditions permit.

6.2. Environmental Precautions

Prevent entry to sewers and public waters. Avoid release to the environment. Collect spillage.

6.3. Methods and Materials for Containment and Cleaning Up

For Containment: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. **Methods for Cleaning Up:** Clean up spills immediately and dispose of waste safely. Transfer spilled material to a suitable container for disposal. Contact competent authorities after a spill.

6.4. Reference to Other Sections

See Section 8 for exposure controls and personal protection and Section 13 for disposal considerations.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for Safe Handling

Precautions for Safe Handling: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Avoid breathing vapors, mist, spray. Do not get in eyes, on skin, or on clothing.

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures.

7.2. Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures: Comply with applicable regulations.

Storage Conditions: Keep container closed when not in use. Store in a dry, cool place. Keep/Store away from direct sunlight, extremely high or low temperatures and incompatible materials.

Incompatible Materials: Strong acids, strong bases, strong oxidizers.

7.3. Specific End Use(s)

Laboratory chemicals, Synthesis of substances

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control Parameters

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), AIHA (WEEL), NIOSH (REL), or OSHA (PEL).

- - - - - -	/	- 7 - 0 7	0	("	,	"		`	77 -	 ٠,	
Polyethylene	e glycol (25322-68-3)											
USA AIHA	WEEL TWA		10 m	ig/m³ (m	olecula	r weigh	it>20	0-aer	osol)		

8.2. Exposure Controls

Appropriate Engineering Controls

: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation, especially in confined areas. Ensure all national/local regulations are observed.

03/09/2021 EN (English US) 3/6

Safety Data Sheet

 $\stackrel{\cdot}{\text{According to Federal Register}}$ / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Personal Protective Equipment : Gloves. Protective clothing. Protective goggles.



Materials for Protective Clothing : Chemically resistant materials and fabrics.

Hand Protection: Wear protective gloves.Eye and Face Protection: Chemical safety goggles.

Skin and Body Protection : Wear suitable protective clothing.

Respiratory Protection : If exposure limits are exceeded or irritation is experienced, approved respiratory

protection should be worn. In case of inadequate ventilation, oxygen deficient atmosphere, or where exposure levels are not known wear approved respiratory

protection.

Other Information: When using, do not eat, drink or smoke.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on Basic Physical and Chemical Properties

Physical State: LiquidAppearance: YellowOdor: Mild.

Odor Threshold : No data available рΗ : No data available **Evaporation Rate** : No data available **Melting Point** : No data available **Freezing Point** : No data available **Boiling Point** : No data available Flash Point : 243 (ASTM D 92) **Auto-ignition Temperature** : No data available **Decomposition Temperature** : No data available Flammability (solid, gas) : Not applicable

Vapor Pressure : < 0.013 hPa at 20 °C (68 °F)

Relative Vapor Density at 20°C : No data available

Relative Density : ≈ 1.006 at 20 °C (68 °F) (water = 1)

Solubility: No data availablePartition Coefficient: N-Octanol/Water: 2.72 log PowViscosity: No data available

9.2. Other Information No additional information available

SECTION 10: STABILITY AND REACTIVITY

- **10.1. Reactivity:** Hazardous reactions will not occur under normal conditions.
- **10.2.** Chemical Stability: Stable under recommended handling and storage conditions (see section 7).
- 10.3. Possibility of Hazardous Reactions: Hazardous polymerization will not occur.
- 10.4. Conditions to Avoid: Direct sunlight, extremely high or low temperatures, and incompatible materials.
- **10.5. Incompatible Materials:** Strong acids, strong bases, strong oxidizers.
- 10.6. Hazardous Decomposition Products: Thermal decomposition may produce: Carbon oxides (CO, CO₂).

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on Toxicological Effects

Acute Toxicity (Oral): Not classified
Acute Toxicity (Dermal): Not classified
Acute Toxicity (Inhalation): Not classified

Alcohols, C12-14-secondary, ethoxylated (84133-50-6)		
LD50 Oral Rat 2100 mg/kg		
Polyethylene glycol (25322-68-3)		
LD50 Oral Rat 22 g/kg		
LD50 Dermal Rabbit	> 20 g/kg	

03/09/2021 EN (English US) 4/6

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Skin Corrosion/Irritation: Causes skin irritation.

Serious Eye Damage/Irritation: Causes serious eye damage.

Respiratory or Skin Sensitization: Not classified

Germ Cell Mutagenicity: Not classified

Carcinogenicity: Not classified
Reproductive Toxicity: Not classified

Specific Target Organ Toxicity (Single Exposure): Not classified
Specific Target Organ Toxicity (Repeated Exposure): Not classified

Aspiration Hazard: Not classified

Symptoms/Injuries After Inhalation: Prolonged exposure may cause irritation.

Symptoms/Injuries After Skin Contact: Redness, pain, swelling, itching, burning, dryness, and dermatitis. **Symptoms/Injuries After Eye Contact:** Causes permanent damage to the cornea, iris, or conjunctiva.

Symptoms/Injuries After Ingestion: Ingestion may cause adverse effects.

Chronic Symptoms: None known.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecology - General : Very toxic to aquatic life. Harmful to aquatic life with long lasting effects.

Alcohols, C12-14-secondary, ethoxylated (84133-50-6)		
LC50 Fish 1	3.7 (3 – 4) mg/l (Exposure time: 96 h - Species: Lepomis macrochirus)	
EC50 - Crustacea [1] 0.29 mg/l (Exposure time: 48 h - Species: Daphnia magna)		
LC50 Fish 2 1.7 (Exposure time: 96 h - Species: Fathead Minnow)		
EC50 - Crustacea [2]	0.9 mg/l (Exposure time: 48 h - Species: Daphnia magna)	

12.2. Persistence and Degradability

03771G-3 BactoCount Solubilizer – Green	
Persistence and Degradability	May cause long-term adverse effects in the environment. Biodegradability >60%.

12.3. Bioaccumulative Potential

03771G-3 BactoCount Solubilizer – Green		
Bioaccumulative Potential	Not established.	

12.4. Mobility in Soil No additional information available

12.5. Other Adverse Effects

Other Information : Avoid release to the environment.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste Treatment Methods

Waste Disposal Recommendations: Dispose of contents/container in accordance with local, regional, national, and international regulations.

Additional Information: Container may remain hazardous when empty. Continue to observe all precautions.

Ecology - Waste Materials: Avoid release to the environment. This material is hazardous to the aquatic environment. Keep out of sewers and waterways.

SECTION 14: TRANSPORT INFORMATION

The shipping description(s) stated herein were prepared in accordance with certain assumptions at the time the SDS was authored, and can vary based on a number of variables that may or may not have been known at the time the SDS was issued.

14.1. In Accordance with DOT

Proper Shipping Name : ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID, N.O.S. (Alcohols, C12-14-secondary,

ethoxylated)

Hazard Class : 9

Identification Number: UN3082Label Codes: 9Packing Group: IIIERG Number: 17114.2. In Accordance with IMDG



Proper Shipping Name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Alcohols, C12-14-secondary,

ethoxylated)

Hazard Class : 9

03/09/2021 EN (English US) 5/6

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Identification Number: UN3082Packing Group: IIILabel Codes: 9EmS-No. (Fire): F-AEmS-No. (Spillage): S-F



14.3. In Accordance with IATA

Proper Shipping Name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Alcohols, C12-14-secondary,

ethoxylated)

Packing Group : III
Identification Number : UN3082
Hazard Class : 9

Label Codes : 9
ERG Code (IATA) : 9L



SECTION 15: REGULATORY INFORMATION

15.1. US Federal Regulations

03771G-3 BactoCount Solubilizer – Green					
SARA Section 311/312 Hazard Classes		Health hazard - Skin corrosion or Irritation			
		Health hazard - Serious eye damage or eye irritation			
Alcohols, C12-14-secondary,	Alcohols, C12-14-secondary, ethoxylated (84133-50-6)				
Listed on the United States TSCA (Toxic Substances Control Act) inventory					
EPA TSCA Regulatory Flag	XU - XU - indicates a substance exempt from reporting under the Chemical Data Reporting Rule,				
	(40 CFR 711).				
Polyethylene glycol (25322-68-3)					
Listed on the United States TSCA (Toxic Substances Control Act) inventory					
EPA TSCA Regulatory Flag	XU - XU - indicates a substance exempt from reporting under the Chemical Data Reporting Rule,				
	(40 CFR 711).				

15.2. US State Regulations

Neither this product nor its chemical components appear on any US state lists, or its chemical components are not required to be disclosed

SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Date of Preparation or Latest Revision : 03/09/2021

 Other Information
 : This document has been prepared in accordance with the SDS

requirements of the OSHA Hazard Communication Standard 29 CFR

1910.1200

GHS Full Text Phrases:

Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1
Aquatic Chronic 3	Hazardous to the aquatic environment - Chronic Hazard Category 3
Eye Dam. 1	Serious eye damage/eye irritation Category 1
Skin Irrit. 2	Skin corrosion/irritation Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H315	Causes skin irritation
H318	Causes serious eye damage
H335	May cause respiratory irritation
H400	Very toxic to aquatic life
H412	Harmful to aquatic life with long lasting effects

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

SDS US (GHS HazCom)

03/09/2021 EN (English US) 6/6